

(Click on Well Log ID to Access Image of Well Strip Log)

DOUGLAS

(Records are Sorted by Township, Range, and Section)

LOG ID: 022299

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1964/03/

TOWNSHIP 25N

RANGE

SECTION

ELEVATION:

DRILL DEPTH:

90FT

11W

14

UTM X UTM Y 4,078,595.03

County Base Map

578,244.16 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

@ ESSEX; NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 011671

WELL TYPE

Private Well

DRILL DATE:

1951/09/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

761FT

DRILL DEPTH:

15FT

25N 11W 34

UTM X

UTM Y

DEPTH TO BED:

576,648.16

4,073,264.02

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028497

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1,706FT

TOWNSHIP 25N

RANGE

SECTION

ELEVATION:

11W

35

UTM X

DRILL DEPTH: DEPTH TO BED:

81FT

578,058.16 4,072,616.02

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: CORE 64-W-73, DO-4

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028698

Private Well

DRILL DATE:

1977/11/09

TOWNSHIP

RANGE

SECTION 10

ELEVATION:

1.132FT

UTM Y

DRILL DEPTH:

524FT

25N 12W

70NF 15

567,091.14

UTM X

UTM Y 4,079,868.06

DEPTH TO BED:

REMARKS:

OLD WELL DEEPENED 255-524'; NO PRODUCTION DATA

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018536

WELL TYPE Private Well

1959/08/06 DRILL DATE: **TOWNSHIP RANGE**

> 25N 12W

SECTION 30

ELEVATION:

1,052FT

DRILL DEPTH: 115FT

UTM X

UTMY 4,074,919.06

561,547.17 ZONE 15

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

FT

0.25 MI SE OF BLANCHE; YIELD - 1/3 GPM **REMARKS**:

S.W.L. (AFTER CASING): 90

LOG ID: 026251

WELL TYPE Private Well

DRILL DATE:

1969/04/29

TOWNSHIP

SECTION RANGE

ELEVATION: 1,045FT

DRILL DEPTH:

DEPTH TO BED:

164FT 45FT

12W 34

60

25N

UTM X

UTMY 4,073,319.05

567,656.16 ZONE 15

S.W.L. (BEFORE CASING):

FT

1.5 MI W OF HWY 181. REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 026252

WELL TYPE Private Well

DRILL DATE:

1969/07/02

TOWNSHIP

SECTION RANGE

ELEVATION: 1,040FT

DRILL DEPTH:

122FT

25N 12W 35

ZONE 15

DEPTH TO BED:

20FT

UTM X 568,270.16

UTM Y 4,072,683.04

S.W.L. (BEFORE CASING):

REMARKS: 0.75 MI W OF HWY 181 ON COUNTY LINE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

026445

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE **SECTION**

ELEVATION:

735FT

DRILL DEPTH:

25N 13W 20

UTM X

UTM Y

DEPTH TO BED:

553.481.19

4,076,652.08

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

64-W-22 - SEE LOG # 28485



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028485

WELL TYPE

Exploratory Hole (Mineral Prospect)

1969/00/00 DRILL DATE:

TOWNSHIP RANGE SECTION 25N 13W

DRILL DEPTH: 1,633FT

UTM X 553,481.19

ELEVATION:

UTMY 4,076,652.08

DEPTH TO BED: 25FT

ZONE 15 **REMARKS**: 64-W-22 - originally logged as #26445; 25-685' in 10-ft intervals

20

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 025643

WELL TYPE Private Well

DRILL DATE:

1968/03/17

TOWNSHIP

SECTION RANGE 8

ELEVATION:

DRILL DEPTH:

290FT

25N 13W

UTM X

UTMY

DEPTH TO BED: 75FT 554,232.17

4,080,169.08

210

FT **REMARKS**:

formerly in name of Kenneth R. Crow

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 020849

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1962/03/01

TOWNSHIP

RANGE

ELEVATION:

1,046FT

DRILL DEPTH:

160FT

25N 14W

UTM X

UTM Y

DEPTH TO BED:

15FT

547,741.20 4,077,271.09

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOST HOLLE, MOVED OVER 6'; BOTTOM 40' FILLED WITH

SECTION

22

CEMENT

LOG ID:

WELL TYPE

021256

Noncommunity Public Well

DRILL DATE:

1962/07/01

TOWNSHIP 25N

RANGE

SECTION 22

ELEVATION:

1,046FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

725FT

14W

UTM X

UTM Y 547.741.20 4,077,271.09

ZONE 15

15FT

205 FT

REMARKS:

S.W.L. (AFTER CASING):

210

FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004194

WELL TYPE

Community Public Well

1937/04/01 DRILL DATE:

DRILL DEPTH: 505FT

DEPTH TO BED: 135FT

TOWNSHIP RANGE SECTION 25N

15W 25 **ELEVATION:**

UTM X 540,991.24

UTMY 4,075,049.09

4,075,656.09

1,142FT

UTM Y

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

7.5

LOG ID: 027737

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1970/11/11

100FT

TOWNSHIP

REMARKS:

SECTION RANGE

ELEVATION: 1,304FT

DRILL DEPTH: 460FT 25N 15W 25

UTM X UTM Y

ZONE 15

541,391.24

S.W.L. (BEFORE CASING):

NO FORMATIONS OR SAMPLES DESCRIBED **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well 009626

DRILL DATE: 1947/06/01

10FT

260FT

25FT

SECTION TOWNSHIP RANGE 25N 15W 28

DRILL DEPTH: 140FT

UTM X

ELEVATION:

536,038.27 4,076,059.08

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 023994

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Private Well

1965/12/29 **DRILL DATE:**

SECTION TOWNSHIP RANGE 25N 28

15W

ELEVATION: 1,322FT

UTM X UTM Y

536.838.26 4,075,237.08

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027733

WELL TYPE Private Well

1971/03/15 DRILL DATE:

TOWNSHIP 25N

RANGE SECTION 33

ELEVATION:

1,328FT

DRILL DEPTH:

343FT

15W

UTM X

536,813.27

UTMY 4,074,230.08

DEPTH TO BED:

S.W.L. (BEFORE CASING):

NO FORMATIONS OR SAMPLES DESCRIBED **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 026410

WELL TYPE Private Well

DRILL DATE:

1969/08/28

TOWNSHIP 25N

RANGE

SECTION

ELEVATION: 1,325FT

ZONE 15

ZONE 15

ZONE 15

DRILL DEPTH:

300FT

16W 10

UTM X

529,047.31

UTMY 4,079,899.07

DEPTH TO BED:

30FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

180

FT

FT

6 MI S OF AVA ON HWY 5, 2 MI S ON COUNTY RD REMARKS:

LOG ID: 021854

WELL TYPE Private Well

DRILL DATE:

1963/09/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,175FT

DRILL DEPTH:

305FT

25N 16W 14

UTM X 529,232.31

UTM Y 4,078,753.07

DEPTH TO BED:

40FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

100

REMARKS:

LOG ID: 027670

WELL TYPE Private Well

DRILL DATE:

1970/00/00

TOWNSHIP 25N

RANGE

SECTION

ELEVATION:

523.605.34

1,132FT

DRILL DEPTH:

DEPTH TO BED:

215FT 15FT

16W 18

UTM X

UTM Y 4,078,658.06

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

1 MI E OF ROME, THEN 0.5 MI N

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027603

DEPTH TO BED:

WELL TYPE Private Well

1970/12/22 DRILL DATE:

25N

RANGE SECTION 34

ELEVATION:

1,018FT

DRILL DEPTH: 225FT

UTM X **UTMY** 527,953.31 4,073,340.07

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS**:

16W

S.W.L. (AFTER CASING):

LOG ID: 026379

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

25FT

70FT

TOWNSHIP

TOWNSHIP

RANGE

SECTION ELEVATION: 1,120FT

DRILL DEPTH: 185FT 25N 18 17W

UTM X **UTMY**

4,079,709.08 514,139.33 ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 002771

WELL TYPE Private Well

DRILL DATE:

1933/10/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,115FT

DRILL DEPTH:

292FT

25N

17W

28

UTM X

UTM Y

DEPTH TO BED:

20FT

516,782.33 4,075,697.08

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: US Government reforesting project

S.W.L. (AFTER CASING):

LOG ID: 026077

WELL TYPE Private Well

DRILL DATE:

1968/09/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,027FT

DRILL DEPTH:

DEPTH TO BED:

150FT

25

25N 17W 36

> UTM X 522.488.34

UTM Y 4,074,476.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

2/27/2007

1,405



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026411

WELL TYPE Private Well

1969/02/25 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,060FT

25N 17W 6 **DRILL DEPTH:** 350FT

UTM X UTMY DEPTH TO BED: 205FT 513,898.33 4,082,218.07

ZONE 15

S.W.L. (BEFORE CASING): FT EVERY OTHER SAMPLE; NO SAMPLES 0-200';3 MI W OF HWY 76 **REMARKS**:

AT ROY S.W.L. (AFTER CASING): 60

LOG ID: 026441

026856

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,130FT

25N 17W 7 DRILL DEPTH: 160FT

UTM X **UTMY** DEPTH TO BED: 20FT 514,166.33 4,080,309.08

NO PRODUCTION OR CONSTRUCTION DATA

ZONE 15 S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,288FT

25N 17W 9 **DRILL DEPTH:** 355FT

UTM X **UTMY**

DEPTH TO BED: 30FT 517,368.34 4,080,045.07 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** NO PRODUCTION OR CONSTRUCTION DATA

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 024875

1966/08/01 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,043FT

DRILL DEPTH: 330FT UTM X UTM Y

11W

19

DEPTH TO BED: 571.709.14 4,086,762.06 25FT

ZONE 15 S.W.L. (BEFORE CASING):

26N

NO PRODUCTION OR CONSTRUCTION DATA; 12 MI S OF CABOOL, **REMARKS:**

HWY E S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006619

WELL TYPE

Noncommunity Public Well

1940/11/01 DRILL DATE:

26N 11W 122FT

TOWNSHIP

RANGE 25 **ELEVATION:**

886FT

DRILL DEPTH: DEPTH TO BED:

UTM X 580,526.15

UTMY 4,085,044.04

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

ABANDONED WHEN CASING WAS BROKEN; FILLED WITH

CEMENT TO TOP

LOG ID:

WELL TYPE

006644

Noncommunity Public Well

DRILL DATE:

1941/02/01

TOWNSHIP

RANGE

SECTION

SECTION

ELEVATION:

886FT

4,085,044.04

DRILL DEPTH:

97FT

26N 11W 25

UTM X UTMY

ZONE 15

580,526.15

DEPTH TO BED:

15FT

10

FT

REMARKS:

REMARKS:

REMARKS:

HOLE #2 ABOUT 6' FROM #1

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

006757

Noncommunity Public Well

DRILL DATE:

1941/03/01

TOWNSHIP

RANGE

YIELD - 12 1/2 GPM

SECTION 25

ELEVATION:

856FT

DRILL DEPTH:

60FT

26N

11W

UTM X

UTM Y

DEPTH TO BED:

5FT

579,726.15 4,084,438.04

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025217

Noncommunity Public Well

DRILL DATE:

1967/08/01

TOWNSHIP 26N

RANGE 11W

SECTION

ELEVATION:

1,076FT

DRILL DEPTH:

DEPTH TO BED:

340FT

50FT

25

UTM X UTM Y

580.627.15 4,084,672.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

US FOREST SERVICE, NOBLETT LAKE

S.W.L. (AFTER CASING):

178



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020736

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1961/12/ DRILL DATE:

215FT 10FT

TOWNSHIP 26N

RANGE 11W

SECTION 3

ELEVATION:

UTM X 576,402.14

UTMY 4,090,332.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

10

REMARKS: WRONG LOCATION

S.W.L. (AFTER CASING):

LOG ID: 008575

WELL TYPE Oil Well

DRILL DATE:

1944/06/30

TOWNSHIP

RANGE

SECTION 33

ELEVATION:

DRILL DEPTH:

371FT

26N 11W

UTM X 575,468.15

UTM Y 4,083,714.05

DEPTH TO BED: S.W.L. (BEFORE CASING):

10FT

FT

"LOST HOLE WHILE TRYING TO CORE" REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 024976

WELL TYPE Private Well

DRILL DATE:

1966/05/02

TOWNSHIP 26N

RANGE

SECTION

ELEVATION: 1,178FT

ZONE 15

ZONE 15

DRILL DEPTH:

410FT

12W 16

UTM X 566,297.13

UTM Y 4,088,147.07

DEPTH TO BED:

20FT

300

REMARKS:

1 MI N OF TWIN KNOB LOOKOUT TOWER

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 027655

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

210FT

15FT

TOWNSHIP 26N

RANGE

SECTION

ELEVATION:

1,152FT

12W 2

> UTM X 569.569.13

UTM Y 4,091,269.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 150



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018539

DRILL DEPTH:

WELL TYPE Private Well

95FT

1959/09/10 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,210FT

> 26N 12W

22

NO SAMPLES ABOVE 395': "SAMPLES PITCHED"

UTM X UTM Y

DEPTH TO BED: 10FT 566,683.13 4,085,885.07

ZONE 15

S.W.L. (BEFORE CASING): FT YIELD - 25 G/HOUR; 9 MI S OF VANZANT **REMARKS**:

S.W.L. (AFTER CASING): 70

LOG ID: 013844

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1955/07/20 **RANGE ELEVATION:** 971FT

26N 13W 10 DRILL DEPTH: 75FT

UTM X **UTMY** DEPTH TO BED: 10FT 557,431.13 4,090,284.08

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 39

LOG ID: 028363

WELL TYPE Private Well

DRILL DATE: 1980/01/24 **TOWNSHIP RANGE SECTION ELEVATION:**

26N 13W 24 **DRILL DEPTH:** 440FT

UTM Y UTM X **DEPTH TO BED:** 390FT 560,205.14 4,087,236.08

ZONE 15 S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 015572

WELL TYPE Private Well

1956/10/11 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 943FT

26N 13W **DRILL DEPTH:** 100FT

REMARKS:

UTM X UTM Y DEPTH TO BED: 555.639.13 4,091,717.08 25FT

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: S.W.L. (AFTER CASING): 33



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022414

DRILL DEPTH:

WELL TYPE Private Well

1963/08/22 DRILL DATE:

244FT

DEPTH TO BED: 30FT

TOWNSHIP 26N

RANGE 13W

SECTION

ELEVATION:

930FT

UTMY

UTM X 555,839.13

4,091,513.08

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

75

REMARKS: 1 MI S OF DENLOW

S.W.L. (AFTER CASING):

LOG ID: 008334

WELL TYPE Private Well

DRILL DATE:

1943/06/29

TOWNSHIP

SECTION RANGE 8

ELEVATION:

1,100FT

DRILL DEPTH:

57FT

26N 13W

UTM X 553,605.13

UTMY 4,090,313.08

DEPTH TO BED: 15FT

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

18

REMARKS:

LOG ID:

003650

WELL TYPE Private Well

DRILL DATE:

1935/09/01

105FT

26N

RANGE 14W

SECTION 10

ELEVATION:

1,019FT

DRILL DEPTH:

UTM X

ZONE 15

547,633.14

UTMY 4,089,669.09

DEPTH TO BED:

20FT

REMARKS:

TOWNSHIP

NO PRODUCTION OR CONSTRUCTION DATA - Driller's Log Attached

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003651

Private Well

DRILL DATE:

1935/10/03

TOWNSHIP

26N

RANGE

SECTION 10

ELEVATION:

1,103FT

DRILL DEPTH:

DEPTH TO BED:

104FT 20FT

14W

UTM X

UTM Y

547.833.14

4,089,770.09

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

"NO WATER" - Driller's Log Attached



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010381

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

202FT

20FT

1948/04/17 DRILL DATE: **TOWNSHIP RANGE**

> 26N 14W

ELEVATION:

UTM X **UTMY**

1,105FT

547,833.14 4,089,669.09

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 35 G/HOUR; 3 MI SW OF COLD SPRING **REMARKS**:

SECTION

10

S.W.L. (AFTER CASING): 165

LOG ID: 025306

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1967/08/14 **TOWNSHIP SECTION RANGE** 26N 14W 16

ELEVATION: 1,078FT

DRILL DEPTH: 220FT

UTM X

UTMY

546,304.15

549,168.13

UTM X

4,087,770.09

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI S OF HWY F

S.W.L. (AFTER CASING): 90

LOG ID: 013220

WELL TYPE

Noncommunity Public Well

10FT

DRILL DATE:

1954/10/01

TOWNSHIP RANGE SECTION 26N

ELEVATION: 1,260FT

4,091,770.09

UTM Y

DRILL DEPTH:

301FT

14W 2

> UTM X UTM Y

> > ZONE 15

DEPTH TO BED:

30FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

193

60

FT

FT

REMARKS: formerly in name of Brushy Knob School

LOG ID:

026188

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

428FT

55FT

SECTION TOWNSHIP RANGE 26N 14W 2

ELEVATION: 1,270FT

DEPTH TO BED:

548.868.13

4,092,074.09

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA; TOPS ONLY, NO

CARBONATE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026468

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1964/00/00

TOWNSHIP

RANGE SECTION

21

ELEVATION:

971FT

DRILL DEPTH:

26N 14W

UTM X

UTMY 4,086,856.09

DEPTH TO BED:

546,391.16

ZONE 15

S.W.L. (BEFORE CASING):

SEE LOG #28484 FOR COMPLETE LOG **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028484

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1964/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

980FT

DRILL DEPTH:

1,726FT

26N

14W

UTM X

UTMY

DEPTH TO BED:

25FT

546,391.16

ZONE 15

4,086,856.09

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

COMPLETE LOG #26468; SAMPLES FILED BY #28484 (THE LATTER

IN LOG FILE)

LOG ID: 022940

WELL TYPE

Private Well

DRILL DATE:

1964/06/26

TOWNSHIP

RANGE

SECTION 22

21

ELEVATION:

1,088FT

DRILL DEPTH:

270FT

26N 14W

UTM X

UTMY

DEPTH TO BED:

547,682.16 4,086,334.09

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

200

026101

WELL TYPE

Private Well

DRILL DATE:

1968/05/30

TOWNSHIP

26N

RANGE

SECTION

ELEVATION:

1,058FT

DRILL DEPTH: DEPTH TO BED: 230FT 95FT 14W 36

UTM X UTM Y 550.426.17 4,083,673.09

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

S.W.L. (AFTER CASING):

80

E OF AVA ON HWY 14 TO HWY C, N 0.25 MI THEN 3 0.25 MI **REMARKS**:

2/27/2007

1,412



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026405

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,198FT

26N 15W 11 **DRILL DEPTH:** 360FT

UTM X **UTMY** DEPTH TO BED: 5FT

540,341.19 4,090,148.08

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 1.25 MI S OF HWY 76

S.W.L. (AFTER CASING): 249

LOG ID: 027705

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,077FT

26N 15W 21 DRILL DEPTH: 239FT

UTM X **UTMY** DEPTH TO BED: 536,445.24 4,086,771.07

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: NO DATA ON LOG

S.W.L. (AFTER CASING): 115

LOG ID: 027727

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 912FT

26N 15W 23 **DRILL DEPTH:** 170FT

UTM X **UTMY**

DEPTH TO BED: 540,389.20 4,087,415.08

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** NO LITHOLOGICL OR RESIDUE DATA, NO TOPS OR SAMPLES

70 S.W.L. (AFTER CASING):

LOG ID: 025375

WELL TYPE Private Well

1967/09/05 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,008FT

26N 15W 28 **DRILL DEPTH:** 115FT

UTM X UTM Y DEPTH TO BED: 50FT 536.819.24 4,084,932.08

ZONE 15

S.W.L. (BEFORE CASING): FT YIELD 15 GPM @ 35'; 8 MI E OF AVA ON HWY 14 **REMARKS**:

S.W.L. (AFTER CASING): 25



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025503

DRILL DEPTH:

WELL TYPE Private Well

1967/09/29 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 26N 15W 28

UTM X **UTMY** DEPTH TO BED: 15FT 536,019.24 4,085,346.07

ZONE 15

1,100FT

S.W.L. (BEFORE CASING):

6 MI E OF AVA ON HWY 14 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 003028

WELL TYPE Private Well

DRILL DATE:

1923/09/01

TOWNSHIP

RANGE

SECTION 3

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

202FT 100FT

252FT

26N 15W

UTM X

UTMY 538,242.20 4,091,692.08

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA; 2 MI E OF AVA -

Driller's Log Attached

LOG ID:

DRILL DATE:

WELL TYPE Private Well

000351

TOWNSHIP

RANGE SECTION

ELEVATION: 1,363FT

DRILL DEPTH:

125FT

15W 4

UTM X **UTMY**

DEPTH TO BED: 55FT 537,218.21 4,091,929.07

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: Driller's Log Attached

26N

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 021857

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

235FT 20FT **TOWNSHIP** 26N

SECTION RANGE

ELEVATION: 1,316FT

16W

10

UTM X UTM Y

ZONE 15

529.198.31

4,090,731.05

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

formerly in name of Abrams Oil Company - NE corner of Hwys 5 & 14 at

Ava



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000494

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE**

> 26N 16W 11

ELEVATION:

1,273FT

DRILL DEPTH: 354FT

UTM X

UTMY 4,090,199.06

DEPTH TO BED:

530,122.30

SECTION

ZONE 15

S.W.L. (BEFORE CASING):

NO SAMPLES LOGGED - DRILLER'S LOG ONLY **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 002312

WELL TYPE

Community Public Well

DRILL DATE:

1929/09/01

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,272FT

DRILL DEPTH:

838FT

26N 16W 11

UTM X

UTMY 4,089,890.06

530,622.29 ZONE 15

DEPTH TO BED:

10FT 240

FT **REMARKS**:

ACIDIZED 1957 W/ 3000 GAL 23% HCL

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

238 FT

LOG ID: 003064

WELL TYPE

Community Public Well

DRILL DATE:

1924/04/01

TOWNSHIP

RANGE 16W

SECTION

ELEVATION:

1,384FT

DRILL DEPTH:

758FT

26N

11

UTM X

DEPTH TO BED:

15FT

150

UTMY 530,822.29 4,089,478.06

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

VERY INCOMPLETE, NO SAMPLES BELOW 100'; NO USE FOR

STRAT - Driller's Log Attached

LOG ID:

WELL TYPE

003075

Community Public Well

DRILL DATE:

1924/00/00

TOWNSHIP

RANGE

SECTION 11

ELEVATION:

1,273FT

DRILL DEPTH:

26N 16W

UTM X

ZONE 15

530.222.29

UTM Y 4,089,890.06

DEPTH TO BED:

SEE LOG #8307

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003974

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1936/10/00

TOWNSHIP 26N

RANGE SECTION 11

ELEVATION: 1,273FT

DRILL DEPTH:

290FT

16W

UTM X **UTMY**

DEPTH TO BED: 50FT 530,122.30

4,090,199.06

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

14 SAMPLES LOGGED; AVA; WE;; ABANDONED - DRILLER'S LOG

ONLY

LOG ID:

WELL TYPE

008307

Community Public Well

845FT

DRILL DATE:

DRILL DEPTH:

1924/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,264FT

ZONE 15

ZONE 15

26N

16W 11

UTM X 530,249.29

UTMY 4,089,710.06

DEPTH TO BED: 100FT

200

FT

FT

REMARKS:

OLD WELL DEEPENED 0-220' (#3075), 220-845" (#8307)

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

WELL TYPE

LOG ID: 026533

Community Public Well

DRILL DATE:

1970/01/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1.292FT

DRILL DEPTH:

1,005FT

26N 16W 11

UTM X 530,049.30

UTMY 4,090,778.05

DEPTH TO BED:

20FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

255

LOG ID:

WELL TYPE

026585

Community Public Well

DRILL DATE:

1970/05/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,270FT

DRILL DEPTH:

805FT

26N 16W 11

> UTM X 530.549.29

UTM Y 4,089,820.06

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

20FT

FT

YIELD - 400 GPM @ 355' **REMARKS**:

S.W.L. (AFTER CASING):

246



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004172

WELL TYPE

Industrial High Capacity Well

290

1936/00/00 DRILL DATE:

TOWNSHIP RANGE 26N 16W

SECTION

ELEVATION: 1,340FT

DRILL DEPTH:

DEPTH TO BED:

903FT 30FT 13

UTM X UTMY 4,089,281.06

531,214.28

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

OLD WELL DEEPENED 550-903'; YIELD INCREASED 48 TO 250

GPM; AT AVA

LOG ID: 013681

WELL TYPE Private Well

DRILL DATE:

1955/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

1,390FT

DRILL DEPTH:

255FT

26N 16W 13

UTM X

UTMY

DEPTH TO BED:

531,614.28

4,088,871.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 008183

WELL TYPE

Industrial High Capacity Well

176

DRILL DATE:

1943/04/14

TOWNSHIP

RANGE

SECTION 14

ELEVATION:

1.225FT

DRILL DEPTH:

300FT

26N 16W

UTM X 530,024.30

ZONE 15

UTMY 4,088,180.06

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

27FT

137

REMARKS:

formerly in name of American Foods Inc (May 1948) and formerly

Douglas County Cheese Factory (April 1943) - Driller's Log Attached

LOG ID:

WELL TYPE

024263

Private Well

DRILL DATE:

1966/04/29

TOWNSHIP 26N

RANGE

SECTION

ELEVATION:

1,249FT

DRILL DEPTH:

DEPTH TO BED:

345FT 40FT 16W 17

UTM X

UTM Y

525.832.34 4,089,060.05 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI W OF AVA

S.W.L. (AFTER CASING): 170



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026442

DRILL DEPTH:

WELL TYPE Private Well

1969/00/00 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,247FT

> 26N 16W 20 340FT

> > **REMARKS**:

UTM X **UTMY** DEPTH TO BED: 75FT 525,204.34 4,087,040.05

ZONE 15

S.W.L. (BEFORE CASING): FT NO ELEVATION, COULDN'T LOCATE

S.W.L. (AFTER CASING): 290

LOG ID: 024697

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,368FT

24 26N 16W DRILL DEPTH: 305FT

UTM X UTMY DEPTH TO BED: 55FT 531,185.29 4,087,049.06

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 027289

WELL TYPE Private Well

DRILL DATE: 1970/06/08 **TOWNSHIP RANGE SECTION ELEVATION:** 1,382FT

26N 16W 24 **DRILL DEPTH:** 278FT

UTM X UTM Y

DEPTH TO BED: 531,385.28 4,087,255.06 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 0.5 MI S OF AVA & 1 MI E ON OLD GURDENER RD; TD 224' BY

270 **SAMPLES** S.W.L. (AFTER CASING):

LOG ID: 026108

WELL TYPE Private Well

1968/09/09 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,302FT

26N

DRILL DEPTH: 430FT UTM X UTM Y

16W

29

DEPTH TO BED: 525.868.34 4,084,710.05 185FT ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSTRUCTION DATA; 185' WEATHERED **REMARKS:**

ZONE S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027292

WELL TYPE Private Well

1970/05/14 DRILL DATE:

TOWNSHIP RANGE 26N 16W

SECTION 29

ELEVATION: 1,234FT

DRILL DEPTH:

DEPTH TO BED:

172FT 45FT

100

UTM X UTM Y

524,668.35

4,085,732.05

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

026407

WELL TYPE Private Well

DRILL DATE:

1969/05/02

TOWNSHIP

SECTION RANGE

ELEVATION:

1,264FT

DRILL DEPTH:

203FT

26N 16W 30

UTM X

UTMY

DEPTH TO BED:

50FT

107

523,784.36

4,085,463.05

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

6 MI W OF AVA ON HWY 76 REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 026463

Private Well

DRILL DATE:

235FT

TOWNSHIP 26N

RANGE

SECTION 30

ELEVATION:

1,286FT

DRILL DEPTH:

16W

UTM X 523,884.35

UTMY 4,085,560.05

DEPTH TO BED:

195FT

164

REMARKS:

"FIRST SOLID ROCK AT 195"; 4 MI W OF AVA ON HWY 76

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well

024707

DRILL DATE:

TOWNSHIP

RANGE

SECTION 31

ELEVATION:

1,291FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

212FT 110FT 26N 16W

UTM X

523,442.36 4,084,524.05

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

SSW OF AVA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027383

WELL TYPE Private Well

1969/10/03 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,234FT

26N 16W 32 **DRILL DEPTH:** 160FT

UTM X **UTMY** DEPTH TO BED: 525,138.34 4,083,810.05

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** "CAN'T LOCATE"; 5 MI E OF AVA ON HWY 5, 1 MI S ON COUNTRY

RD S.W.L. (AFTER CASING): 95

LOG ID: 025993

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1968/11/21 **RANGE ELEVATION:** 1,242FT

26N 16W 34 DRILL DEPTH: 243FT

UTM X UTMY DEPTH TO BED: 10FT 528,277.31 4,084,063.06

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 3 MI SW OF AVA

S.W.L. (AFTER CASING): 140

LOG ID:

WELL TYPE

Community Public Well 001970

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,201FT

26N 16W 5 120FT

DRILL DEPTH: UTM X **UTMY**

DEPTH TO BED: 525,295.35 4,091,889.04

ABANDONED IN 1925, @ WATER PUMPING STATION

15

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 11

LOG ID: 027735

WELL TYPE Private Well

1971/04/15 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,200FT

DRILL DEPTH: 242FT UTM X UTM Y

DEPTH TO BED: 518.746.37 4,089,483.05

17W

ZONE 15 S.W.L. (BEFORE CASING): FT

26N

NO DATA ON LOG, ONLY TD; E OF RD 0, 13 MI W OF AVA ON CTY **REMARKS:**

RD Y S.W.L. (AFTER CASING): 100

1,420 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027274

WELL TYPE Private Well

1970/09/01 DRILL DATE:

TOWNSHIP RANGE 26N

SECTION

ELEVATION:

1,303FT

DRILL DEPTH:

290FT

17W 21

UTM X

UTMY 4,087,301.06

DEPTH TO BED:

90FT

516,893.36

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

213

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025825

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 26N

SECTION RANGE

SAMPLES TO 885', CORE BELOW

ELEVATION:

1,041FT

DRILL DEPTH:

1,626FT

17W

UTM X 521,837.37

UTMY 4,087,696.04

DEPTH TO BED:

50FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

027862

WELL TYPE

Private Well

DRILL DATE:

1975/03/04

75

TOWNSHIP RANGE **SECTION** 24

24

ELEVATION: 1,105FT

DRILL DEPTH:

250FT

26N 17W

UTM X **UTMY**

DEPTH TO BED:

55FT

522,137.37 4,087,188.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 5 MI SW OF AVA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022996

Private Well

DRILL DATE:

1964/08/22

TOWNSHIP 26N

RANGE SECTION **ELEVATION:**

1,090FT

DRILL DEPTH:

90FT

17W 25

> UTM X 522.502.37

UTM Y 4,085,368.05

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

7/8 MI W OF HWY 76

ZONE 15

S.W.L. (AFTER CASING):

25

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026118

WELL TYPE Private Well

1968/03/07 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,217FT

> 26N 17W 27 290FT

DRILL DEPTH: UTM X UTM Y DEPTH TO BED: 20FT

519,379.36 4,084,942.05

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 10-FT SAMPLES

S.W.L. (AFTER CASING): 180

LOG ID: 026380

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,256FT

26N 28 17W DRILL DEPTH: 275FT

UTM X **UTMY** DEPTH TO BED: 50FT 4,085,681.06 516,860.35

ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027701

WELL TYPE Private Well

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 1,270FT

26N 17W 28 **DRILL DEPTH:** 255FT

UTM X **UTMY**

DEPTH TO BED: 517,460.35 4,084,855.06

ZONE 15

NO SAMPLES ORL TOPS ON LOG, JUST TD

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 015020

WELL TYPE Private Well

1956/04/09 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,225FT

26N 17W 29 **DRILL DEPTH:** 305FT

UTM X UTM Y DEPTH TO BED: 50FT

515.243.34 4,084,905.07

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 2 MI W OF GOODHOPE

200 S.W.L. (AFTER CASING):

1,422 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026811

DEPTH TO BED:

WELL TYPE Private Well

1969/05/15 DRILL DATE:

185FT

TOWNSHIP RANGE 26N

SECTION

ELEVATION: 1,281FT

DRILL DEPTH: 325FT 17W 32

UTM X UTMY

515,614.34

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA; NO SAMPLES 0-185'

S.W.L. (AFTER CASING):

LOG ID: 022240

WELL TYPE

Noncommunity Public Well

DRILL DATE:

TOWNSHIP 26N

SECTION 33

ELEVATION: 1,282FT

ZONE 15

DRILL DEPTH:

295FT

UTM X

UTMY 4,084,681.06

4,084,709.06

DEPTH TO BED: 40FT 517,621.35

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: GOODHOPE; NO PRODUCTION OR CONSTRUCTION DATA; EVERY

OTHER SAMPLE

RANGE

17W

LOG ID:

WELL TYPE

026048

Private Well

DRILL DATE:

DRILL DEPTH:

310FT

TOWNSHIP RANGE SECTION 26N 17W

ELEVATION: 1,228FT

40FT

6

UTM Y

DEPTH TO BED:

514,770.36

UTM X

4,092,010.06

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; NEAR AVA

S.W.L. (AFTER CASING):

LOG ID: 026084

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP RANGE 26N 18W

SECTION 10

ELEVATION: 1,551FT

ZONE 15

DRILL DEPTH:

525FT

UTM X

UTM Y

DEPTH TO BED: 65FT 509.319.34

4,090,493.07

REMARKS:

formerly in name of Monro Maggard - no production or construction data

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023208

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1964/11/06 DRILL DATE: **TOWNSHIP**

510FT

55FT

RANGE SECTION 26N 11

18W

ELEVATION: 1,540FT

UTM X 510,337.34

4,090,460.07

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT

FT

10 MI E OF OLDFIELD ON HWY T, 2 MI N ON UU, 2 MI E **REMARKS**:

S.W.L. (AFTER CASING): 315

LOG ID: 026554

WELL TYPE Private Well

DRILL DATE: 1970/03/06 **TOWNSHIP SECTION RANGE**

ELEVATION: 1,249FT

DRILL DEPTH: 308FT 26N 18W 35

> **UTM X UTMY**

DEPTH TO BED:

S.W.L. (BEFORE CASING):

510,215.32 4,083,410.08 ZONE 15

REMARKS: NO SAMPLES 150-208'; 15 MI W OF AVA ON HWY TT

S.W.L. (AFTER CASING): 248

LOG ID: 003365

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1935/05/01

TOWNSHIP RANGE SECTION 27N 11W 14

ELEVATION: 1,254FT

DRILL DEPTH: 700FT

UTM X **UTMY**

DEPTH TO BED: 55FT 577,879.12 4,097,985.09

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4.5 MI E OF AVA - Driller's Log Attached

S.W.L. (AFTER CASING): 165

LOG ID: 012675

DEPTH TO BED:

WELL TYPE

Private Well

1953/11/17 **DRILL DATE:**

RANGE SECTION TOWNSHIP 27N 29

11W

ELEVATION: 990FT

125FT **DRILL DEPTH:**

UTM X UTM Y

574.199.13 4,094,833.07

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

5FT

S.W.L. (AFTER CASING): 37



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023611

WELL TYPE Private Well

<u>DRILL DATE:</u> 1965/04/28 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,221FT

<u>DRILL DEPTH:</u> 290FT 27N 11W 9

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 575,890.11 4,099,228.10

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 100

LOG ID: 010036

WELL TYPE Private Well

<u>DRILL DATE:</u> 1947/12/18 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,261FT

DRILL DEPTH: 126FT 27N 12W 18

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 12FT 562,716.11 4,097,559.10

W.L. (BEFORE CASING): FT

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 63

LOG ID: 004497

WELL TYPE Private Well

<u>DRILL DATE:</u> 1937/07/28 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,240FT

<u>DRILL DEPTH:</u> 192FT 27N 12W 19

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 135FT 562,186.11 4,096,657.10

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: SKIPPED INTERVALS 100-135'; YIELD - 1 G/HOUR

S.W.L. (AFTER CASING): 175

LOG ID: 028472

WELL TYPE Private Well

<u>DRILL DATE:</u> 1981/04/27 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,158FT

DRILL DEPTH: 395FT UTM Y

12W

20

<u>DEPTH TO BED:</u> 70FT 564,203.11 4,095,411.08

S.W.L. (BEFORE CASING):

27N

S.W.L. (AFTER CASING):

REMARKS: NO ELEVATION OR PRODUCTION DATA

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028951

WELL TYPE

Noncommunity Public Well

DRILL DATE: 2003/07/

27N 12W 25 450FT

REMARKS:

TOWNSHIP

RANGE

SECTION

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 110FT 4,093,662.08

Edwin Rogers

570,829.12

ELEVATION:

ZONE 15

1,130FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 200

LOG ID: 008415

WELL TYPE Private Well

DRILL DATE: 1943/11/16 **TOWNSHIP SECTION RANGE**

ELEVATION: 1,125FT

DRILL DEPTH:

DEPTH TO BED:

27N 12W 27

UTM X **UTMY** 567,898.12 4,094,247.08

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING):

REMARKS: SEE LOG #13161; OLD WELL DEEPENED

S.W.L. (AFTER CASING):

LOG ID: 013161

DRILL DEPTH:

WELL TYPE

Private Well

DRILL DATE: 1943/11/16 **TOWNSHIP RANGE SECTION**

FT

27N 12W 27

UTM X **UTMY**

DEPTH TO BED: 95FT

567,998.12 4,094,145.08

1,101FT

1,066FT

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL (#8415) DEEPENED 205-302';

S.W.L. (AFTER CASING):

LOG ID:

DEPTH TO BED:

WELL TYPE

026464 Exploratory Hole (Mineral Prospect)

307FT

254

DRILL DATE:

RANGE SECTION TOWNSHIP

27N 12W 27

DRILL DEPTH: 1,881FT

UTM X UTM Y

ELEVATION:

566.698.11 4,095,065.08

ZONE 15

S.W.L. (BEFORE CASING): SEE LOG #28475 **REMARKS**:

S.W.L. (AFTER CASING):

1,426 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028475

DRILL DEPTH:

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1,881FT

DEPTH TO BED:

20FT

TOWNSHIP RANGE SECTION 27N

12W

27

ELEVATION:

1,070FT

UTM X 566,698.11

UTMY 4,095,065.08

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

20-770' #26464, 770-TD #28475

LOG ID:

015410

WELL TYPE Private Well

DRILL DATE:

1956/11/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,228FT

DRILL DEPTH:

495FT

12W 30 27N

UTM X

UTMY

562,962.12 4,093,830.08

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

20FT

357

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007068

WELL TYPE

Private Well

DRILL DATE:

1966/07/18

215FT

15FT

27N

RANGE 12W

SECTION

ELEVATION:

1,420FT

DRILL DEPTH: DEPTH TO BED:

TOWNSHIP

4

UTM X

UTM Y

566,398.09

4,100,735.12 ZONE 15

130

FT

FT

REMARKS:

formerly in name of Lyle D. Barnett - deepened 07/1966 to 500'; see log

#24985

LOG ID:

WELL TYPE Private Well

009158

1945/12/06

TOWNSHIP 27N

RANGE

SECTION

ELEVATION:

1,375FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

186FT 10FT 12W

UTM X

ZONE 15

566.098.09

UTM Y 4,100,426.12

S.W.L. (BEFORE CASING):

FT

REMARKS:

8 MI S OF MTN GROVE ON CLIFTY RD

S.W.L. (AFTER CASING):

90

2/27/2007

1,427



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024985

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1966/07/18

500FT

DEPTH TO BED: 215FT

300

TOWNSHIP RANGE 27N

SECTION 12W 4

ELEVATION:

1,420FT

UTM X 566,498.09

UTMY 4,100,632.12

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of Lyle D. Barnett - old well (#7068) deepened

215-500': 8 mi S of Mtn. Grove

LOG ID: 026390

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1969/05/18

425FT

227FT

TOWNSHIP 27N

RANGE 12W

SECTION 4

ELEVATION: 1,375FT

UTM X

UTMY

566,298.09

4,101,252.13

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

265

REMARKS: OLD WELL DEEPENED 227-425';

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

013704 **DRILL DATE:**

LOG ID:

1955/03/10

TOWNSHIP 27N

RANGE SECTION **ELEVATION:**

1,454FT

DRILL DEPTH:

130FT

FT

FT

12W

UTM X 563,065.09

UTM Y 4,101,562.13

DEPTH TO BED:

35FT

86

REMARKS: YIELD - 0.5 GPM

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

024291

DRILL DATE:

1966/05/18

TOWNSHIP 27N

RANGE

SECTION 6

6

ELEVATION:

1,425FT

DRILL DEPTH: DEPTH TO BED: 250FT 30FT 12W

UTM X 563,265.09

UTM Y 4,101,140.13

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: HWY D 6 MI S OF MTN GROVE

S.W.L. (AFTER CASING): 110

1,428 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005231

WELL TYPE Private Well

1938/09/21 DRILL DATE:

TOWNSHIP RANGE 27N 12W

SECTION

ELEVATION:

1,372FT

DRILL DEPTH:

145FT

UTM X

UTMY

DEPTH TO BED:

40FT

562,629.10

4,099,281.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

Driller's Log Attached

S.W.L. (AFTER CASING):

95

REMARKS:

LOG ID: 007090

WELL TYPE Private Well

DRILL DATE:

1941/07/03

TOWNSHIP

SECTION RANGE

ELEVATION: 1,398FT

DRILL DEPTH:

76FT

12W 27N 7

UTM X

UTMY

DEPTH TO BED: 58FT

562,629.10 4,099,895.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

44

LOG ID: 025986

WELL TYPE Private Well

1967/09/01

TOWNSHIP

RANGE SECTION 7

ELEVATION:

1,380FT

DRILL DATE: DRILL DEPTH:

305FT

27N 12W

> UTM X 562,829.10

UTM Y 4,100,101.12

DEPTH TO BED:

15FT

REMARKS:

ZONE 15 ON HWY 95 S OF MT GROVE, 1.5 MI S OF COUNTY LINE; YIELD 5

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

133

GPM @ 304.5'

LOG ID:

007020

WELL TYPE

Private Well

DRILL DATE:

1941/06/30

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,230FT

DRILL DEPTH:

81FT

27N

13W

UTM X

UTM Y

DEPTH TO BED:

5FT

560.828.10 4,100,378.13 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 5 G/HOUR

S.W.L. (AFTER CASING): 56



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011715

DRILL DEPTH:

WELL TYPE Private Well

70FT

32

1951/07/13 DRILL DATE:

TOWNSHIP RANGE SECTION 27N 13W

ELEVATION: 1,350FT

UTM X

UTMY

DEPTH TO BED: 20FT 561,228.09

4,101,602.14

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

"W 1/2 LOT 2 NE"; S OF MTN GROVE TO CTY LINE, THEN 1.5 MI

SW

LOG ID: 027771

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

SECTION RANGE 13W 12

ELEVATION: 1,243FT

DRILL DEPTH: 198FT

1

UTM X **UTMY**

ZONE 15

561,612.10

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

27N

NO DATA OTHER THAN TD ON LOG

S.W.L. (AFTER CASING):

LOG ID: 004689

WELL TYPE Private Well

DRILL DATE:

1938/02/09

TOWNSHIP 27N

RANGE SECTION **ELEVATION:** 1,256FT

DRILL DEPTH:

195FT

13W 13

> UTM X UTM Y

> > ZONE 15

DEPTH TO BED:

10FT

96

560,786.10

4,098,587.11

4,100,193.12

S.W.L. (BEFORE CASING):

FT

REMARKS: Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID: 018732

WELL TYPE Private Well

DRILL DATE:

1959/12/03

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,243FT

DRILL DEPTH:

DEPTH TO BED:

260FT 30FT 27N 13W 13

> UTM X UTM Y

560.786.10

4,098,173.11

ZONE 15

S.W.L. (BEFORE CASING):

FT

7 MI S OF MTN GROVE, 1.5 MI W OF HWY A **REMARKS**:

S.W.L. (AFTER CASING):

165



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027739

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,390FT

> 27N 13W 18 360FT

UTM X **UTMY** DEPTH TO BED: 30FT 553,309.11 4,098,450.12

ZONE 15

S.W.L. (BEFORE CASING): FT NO FORMATIONS, LITHOLOGIES SHOWN **REMARKS**:

S.W.L. (AFTER CASING): 200

LOG ID: 015591

WELL TYPE Private Well

TOWNSHIP DRILL DATE: **RANGE SECTION** 1956/10/17 **ELEVATION:** 1,096FT

27N 13W 21 DRILL DEPTH: 50FT

UTM X **UTMY** DEPTH TO BED: 15FT 555,410.11 4,095,689.09

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 30

LOG ID: 020948

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,322FT

27N 13W 21 **DRILL DEPTH:** 600FT

UTM X UTM Y **DEPTH TO BED:** 35FT 555,510.11 4,096,199.10

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS**: 2.5 MI N OF DENLOW

48 S.W.L. (AFTER CASING):

LOG ID: 005090

WELL TYPE Private Well

1938/10/01 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,064FT

27N 13W **DRILL DEPTH:** 365FT

UTM X UTM Y DEPTH TO BED: 50FT 558,324.11 4,097,003.10

22

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: FOX CREEK S.W.L. (AFTER CASING): 150



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005027

WELL TYPE Private Well

1938/09/01 DRILL DATE:

TOWNSHIP RANGE SECTION 27N 13W 23

ELEVATION: 1,031FT

DRILL DEPTH:

272FT

UTM X UTM Y

ZONE 15

559,039.11

4,096,062.09

DEPTH TO BED: 25FT S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

132

FT

REMARKS:

LOG ID: 006980

WELL TYPE Private Well

DRILL DATE:

1941/05/21

TOWNSHIP

RANGE

ELEVATION:

1,004FT

DRILL DEPTH:

100FT

27N 13W 23

UTM X

UTMY

DEPTH TO BED:

50

558,539.11

4,095,544.09

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.5 MI S & 0.25 MI W OF HARRISON #1 ON FOX CK (#5027) REMARKS:

SECTION

S.W.L. (AFTER CASING):

LOG ID: 028213

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 27N

RANGE SECTION **ELEVATION:**

990FT

DRILL DEPTH:

870FT

13W 23

UTM X

UTM Y

DEPTH TO BED:

40FT

558,939.11 4,096,166.09

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA; 585-870' -

26

"POSSIBLE FAULTING"

LOG ID:

WELL TYPE

019306

Private Well

DRILL DATE:

1960/06/07

TOWNSHIP

SECTION RANGE

ELEVATION:

UTM X

1,142FT

DRILL DEPTH:

DEPTH TO BED:

265FT

125FT

27N 13W

UTM Y

559,520.12

4,094,336.08

ZONE 15

S.W.L. (BEFORE CASING):

FT

S THEN W APPROX 12 MI OF MTN. GROVE **REMARKS**:

230 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023403

WELL TYPE Private Well

1964/12/13 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,020FT

27N 13W 26 **DRILL DEPTH:** 275FT

UTM X **UTMY** DEPTH TO BED: 100FT 558,520.11 4,095,374.09

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** ON FOX CK ABT 10 MI S OF MTN GROVE

S.W.L. (AFTER CASING): 160

LOG ID: 015571

WELL TYPE Private Well

1956/10/01 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,092FT

13W 28 27N DRILL DEPTH: 380FT

UTM X UTMY DEPTH TO BED: 60FT 556,491.12 4,094,876.09

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 290

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 028449

DRILL DATE: 1964/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 990FT

27N 13W 33 **DRILL DEPTH:** 1,695FT

UTM Y UTM X **DEPTH TO BED:** 30FT 556,172.12 4,092,842.08

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** SAMPLES 0-900 (#26469), CORE 900-TD (#28449)

S.W.L. (AFTER CASING):

LOG ID: 013393

WELL TYPE Private Well

1955/01/01 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,360FT

27N 13W 7 **DRILL DEPTH:** 425FT UTM X UTM Y

DEPTH TO BED: 552.932.11 4,099,862.13 250FT

ZONE 15

S.W.L. (BEFORE CASING): FT NO SAMPLES 0-250', 395-425' **REMARKS:**

200 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007791

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1942/06/29

TOWNSHIP

RANGE SECTION 14W

ELEVATION:

1,178FT

DRILL DEPTH:

27N

10

UTM X

UTMY

DEPTH TO BED:

548,609.11

4,100,188.14

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

UPPER 100'; SEE LOG #7904

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

007903

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1942/06/16

TOWNSHIP

RANGE

SECTION

ELEVATION:

ZONE 15

ZONE 15

1,187FT

DRILL DEPTH:

100FT

14W 27N

10

UTM X

548,609.11

UTMY

DEPTH TO BED:

4,100,188.14

FT

REMARKS: "PROSPECT HOLE"

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 007904

WELL TYPE

Exploratory Hole (Mineral Prospect)

34

DRILL DATE:

1942/06/29

TOWNSHIP

RANGE

SECTION 10

ELEVATION:

1,200FT

DRILL DEPTH:

115FT

27N 14W

> **UTM X** 548,609.11

UTM Y 4,100,188.14

DEPTH TO BED:

S.W.L. (BEFORE CASING):

60

FT

REMARKS: UPPER 100' LOG #7791, DEEPENED 100-115;"NO LEAD OR ZINC";

180 G/HR 90'

LOG ID:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

008068

1942/11/13

TOWNSHIP

RANGE

SECTION 12

ELEVATION:

1,370FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

90FT

15FT

27N

14W

UTM X

UTM Y

550,532.11 4,100,255.14 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 5 G/HOUR

S.W.L. (AFTER CASING):

58



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025509

DEPTH TO BED:

WELL TYPE Private Well

1967/06/19 DRILL DATE: **TOWNSHIP RANGE**

SECTION 27N 14W

ELEVATION:

1,262FT

DRILL DEPTH: 361FT

UTM X 545,998.12

UTMY 4,094,029.09

4,101,386.15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

"DO NOT USE FOR DEPTH TO BEDROCK"; 12 MI SE OF

28

NORWOOD

LOG ID: 013257

WELL TYPE Private Well

DRILL DATE:

1954/06/06

250FT

200

TOWNSHIP

SECTION RANGE

ELEVATION: 1,118FT

DRILL DEPTH: 95FT 27N 14W 3

UTM X UTMY

ZONE 15

548,239.11

DEPTH TO BED:

REMARKS: 5 MI FROM NORWOOD

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 026532

WELL TYPE Private Well

DRILL DATE:

1970/01/14

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,056FT

DRILL DEPTH:

126FT

27N 14W 33

UTM X UTM Y

DEPTH TO BED: 55FT 546,958.12 4,093,625.09

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 11 MI S OF NORWOOD; SCANNED, NO LITHOLOGIES

S.W.L. (AFTER CASING):

LOG ID: 011195

WELL TYPE Private Well

DRILL DATE:

1949/10/20

TOWNSHIP

SECTION RANGE

ELEVATION:

1,110FT

DRILL DEPTH:

DEPTH TO BED:

200FT

15FT

27N

14W 9

UTM X

546.497.11

UTM Y 4,100,321.14

ZONE 15

S.W.L. (BEFORE CASING):

FT

7 MI SW OF NORWOOD **REMARKS**:

S.W.L. (AFTER CASING): 140



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027898

WELL TYPE Private Well

1971/07/02 DRILL DATE:

TOWNSHIP 27N

RANGE SECTION **ELEVATION:**

1,267FT

DRILL DEPTH:

350FT

15W 16

UTM X 536,850.20

UTMY 4,098,718.10

ZONE 15

DEPTH TO BED:

30FT

170

REMARKS:

REMARKS:

REMARKS:

ON HWY 5, 7 MI S OF MANSFIELD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 004614

WELL TYPE Private Well

DRILL DATE:

1937/09/01

TOWNSHIP

FT

SECTION RANGE

ELEVATION: 1,336FT

DRILL DEPTH:

230FT

15W 2

UTM X **UTMY**

540,017.16

DEPTH TO BED:

10FT

"DRY"

27N

4,101,312.14 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025822

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1968/12/20

TOWNSHIP

RANGE SECTION

STAINIFER OPTION, CUTTINGS TO 770'

ELEVATION: 1,000FT

541,374.15

DRILL DEPTH:

1,901FT

27N 15W 24

> UTM X UTM Y

> > ZONE 15

4,096,214.09

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

024250 **DRILL DATE:**

1966/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,219FT

DRILL DEPTH:

215FT

27N

15W

UTM X UTM Y

DEPTH TO BED:

90FT

26

540.623.16 4,095,364.08

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

145



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010684

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1947/04/11 DRILL DATE:

100FT

50FT

TOWNSHIP RANGE SECTION 27N 15W

30

ELEVATION:

1,423FT

UTMY

UTM X 533,560.25

4,095,215.06

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

JOINS NAZERENE CHURCH ON S ON HWY 5 BETWEEN

MANSFIELD & AVA; 3/4 GPM

LOG ID: 013682

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1955/05/13

TOWNSHIP 27N

RANGE 15W

SECTION 32

ELEVATION: 1,264FT

UTM X

UTMY 4,093,661.06

534,942.24 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

30FT

56

FT

128FT

REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

1956/00/00

TOWNSHIP 27N

REMARKS:

RANGE

SECTION

NO PRODUCTION OR CONSTRUCTION DATA

ELEVATION:

1,261FT

DRILL DEPTH:

LOG ID:

016210

130FT

15W 32

UTM X 534,742.24

ZONE 15

UTM Y 4,093,661.06

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

023986 **DRILL DATE:**

1966/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,347FT

DRILL DEPTH:

DEPTH TO BED:

300FT 35FT 27N

15W 5

UTM X

UTM Y

534.687.22 4,100,777.12 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

214



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010681

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1947/07/01 DRILL DATE:

65FT

25FT

53

TOWNSHIP RANGE 27N

16W

SECTION 1

25

ELEVATION:

UTM X 532,576.24

UTMY 4,102,130.12

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

LOG ID: 026412

WELL TYPE Private Well

DRILL DATE:

1968/09/08

TOWNSHIP

RANGE

SECTION ELEVATION:

1,340FT

DRILL DEPTH: 205FT 27N 16W

UTM X **UTMY**

4,095,554.06 532,554.26

DEPTH TO BED: S.W.L. (BEFORE CASING):

25FT

80

REMARKS:

4.5 MI N OF AVA, JUST OFF HWY 5

ZONE 15

S.W.L. (AFTER CASING):

LOG ID: 010686

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1947/04/30

44FT

FT

TOWNSHIP 27N

RANGE SECTION 16W 3

ELEVATION:

1,340FT

DRILL DEPTH:

15FT

UTM X

UTM Y

528,535.29 4,102,165.11 ZONE 15

20 S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 010687

WELL TYPE Private Well

DRILL DATE:

1947/04/22

TOWNSHIP 27N

RANGE

SECTION

ELEVATION:

1,318FT

DRILL DEPTH:

DEPTH TO BED:

74FT

25FT

16W 3

> UTM X 528,535.29

UTM Y 4,101,357.11

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 17



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024167

WELL TYPE Private Well

1966/03/22 DRILL DATE:

TOWNSHIP 27N

RANGE SECTION 35

ELEVATION:

1,304FT

DRILL DEPTH:

327FT

16W

UTM X

UTM Y 4,092,842.05

DEPTH TO BED: 25FT 529,706.30

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

023415

DRILL DATE:

TOWNSHIP RANGE 27N

ELEVATION: 1,669FT

DRILL DEPTH:

520FT

16W 5

UTM X

UTMY

DEPTH TO BED:

55FT

108

SECTION

524,806.33

4,101,708.10 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

formerly in name of Charlie Henderson - no production or construction

data

LOG ID: 005931

WELL TYPE Private Well

1939/08/01

TOWNSHIP

RANGE SECTION

6

ELEVATION: 1,640FT

DRILL DATE: DRILL DEPTH:

125FT

27N 16W

> UTM X UTM Y

DEPTH TO BED:

55FT

524,053.34 4,100,948.09

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: DRY & ABANDONED

LOG ID: 026053

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 27N

RANGE

SECTION

ELEVATION:

1,356FT

DRILL DEPTH:

DEPTH TO BED:

248FT 40FT

17W 14

UTM X

UTM Y

520,200.37 4,098,632.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

165



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012182

WELL TYPE Private Well

1952/08/08 DRILL DATE:

TOWNSHIP 27N

RANGE SECTION 17W

ELEVATION:

1,694FT

DRILL DEPTH:

208FT

17

UTM X 515,137.35

UTM Y 4,099,022.08

DEPTH TO BED:

60FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

90

FT

FT

REMARKS: ON HWY 14, 14 MI FROM AVA

LOG ID: 027487

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

225FT

27N 17W 21

UTM X **UTMY**

516,713.37

4,096,562.06

70FT

REMARKS: YIELD - 1 1/2 GPM

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

100

LOG ID: 025790

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,230FT

DRILL DEPTH:

235FT

27N 17W 24

UTM X 521,574.38

UTM Y 4,096,894.05

DEPTH TO BED:

20FT

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

80

FT

REMARKS: 6 MI W OF AVA ON HWY 14

LOG ID:

026804

WELL TYPE Private Well

DRILL DATE:

1969/05/14

TOWNSHIP

SECTION RANGE

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

175FT

25FT

27N 17W

UTM X 518.042.35

ZONE 15

UTM Y

4,101,388.09

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

VERY POOR SAMPLES, DO NOT USE: NO PRODUCTION OR

CONSTRUCTION DATA

DOUGLAS